CPP100/ACM

48x40 (Standard) **Plastic Industrial Pallet**

Technical Data

Dimensions Weight
Load Capacities Static

Dynamic

Racking

3500 lbs 2200 lbs

12.0 lbs

Entry Truckload Qty Stack TL

4-way 2340 78

TL (truckload) quantities are approximate and may vary by transport equipment or other factors.

48x40x5.2 inches (1219x1016x132 mm)

Handling Data

Nestable Yes Stackable No

Rackable

No

One-Way Destination Export

Airfreight Yes

Reusability

ISPM-15 Exempt Yes

Food Grade Yes, non-FDA

Pharmaceutical Yes





Materials and Colors

Condition New

Material ACM (Recycled)

Color Black

Deck Specs

Top Deck Open

Bottom Deck 9 Feet - Nesting

Available Options: No skids (open) = CPP100 No skids (closed) = NPP-4840-N-100#CD 3 Runner snap-on skids* (open) = CPP103 3 Runner snap-on skids* (closed) = NPP-4840-3R-100#CD

- *Order with skids off for lower shipping

Features

- . Lightweight and low height
- Nesting saves storage & shipping costs
- Low-cost Plastic Pallet
- Easy-to-clean hygienic design
- Suitable for packaged food items (not approved for direct food contact)
- Impervious to acids, fats, solvents and odors
- Resists water absorption & bacteria growth
- Inert to infestation, mold and mildew
- Consistently dimensionally accurate
- Exempt from ISPM 15 shipping regulations

ТΜ

www.NelsonTechCenter.com




Spec Sheet Generated On: 5/19/2024


Specs subject to change without notice. Provided for informational purposes only. Technical data are guideline values and may vary based on intended use, features, raw materials and environment. Nothing shall be construed as warranties or guarantees, express or implied, regarding products or their use, application, performance or otherwise.


CPP100/ACM

48x40 (Standard) Plastic Industrial Pallet

Technical Drawings









Tech Sheet Generated On: 5/19/2024

Specs subject to change without notice. Provided for informational purposes only. Technical data are guideline values and may vary based on intended use, features, raw materials and environment. Nothing shall be construed as warranties or guarantees, express or implied, regarding products or their use, application, performance or otherwise.

