# UP-1111-RV-150mm70lb

# 43x43 (Square) **Plastic Reversible Container Pallet**

#### **Technical Data**

Dimensions Weight	43.3x43.3x5.9 inches 70.0 lbs	(1100x1100x150 mm)
<b>Load Capacities</b> Static Dynamic Racking	10000 lbs 2600 lbs ST Req	
Entry Truckload Qty Stack TL	4-way 480 16	

Load capacities for used pallets may be unavailable or may have changed since issued. Unit load Sample Tests (ST) are recommended to confirm successful use with specific applications and equipment. TL (truckload) quantities are approximate and may vary by transport equipment or other factors 

**Handling Data** 

Nestable No Stackable

Rackable

Yes

Yes

Reusability One-Way & Multi-Trip

Destination Captive & Export


Airfreight No

**Food Grade** Yes, non-FDA

Yes

**ISPM-15** Exempt

**Pharmaceutical** Yes





### **Materials and Colors**

Condition Used

<b>Material</b>	<b>Color</b>
HDPE	Varies

#### (High-Density Polyethylene)

Colors and manufacturers vary and orders may be mixed. To avoid return freight charges ask your Sales Rep about special requests. All used pallets have been inspected and cleaned. Pallets may have limited cosmetic damage, but all are structurally sound.

### **Deck Specs**

Top Deck Closed

**Bottom Deck** 

Reversible - Double-Sided

Grommets installed top and bottom.

## **Features**

Unique double-sided pallet features the same closed deck design top and bottom.

- Not suitable for pallet jack
- Allows for safe double stacking
- Cubes out shipping container to save costs
- Designed for Super Sack® and drum loads
- Easy-to-clean hygienic design
- Suitable for packaged food items (not approved for direct food contact)
- Impervious to acids, fats, solvents and odors
- Resists water absorption & bacteria growth
- Inert to infestation, mold and mildew
- Consistently dimensionally accurate
- Exempt from ISPM 15 shipping regulations



Spec Sheet Generated On: 5/20/2024

Specs subject to change without notice. Provided for informational purposes only. Technical data are guideline values and may vary based on intended use, features, raw materials and environment. Nothing shall be construed as warranties or guarantees, express or implied, regarding products or their use, application, performance or otherwise.